

TECHNICAL INFORMATION SHEET

Aluminum Drain Bar

TIS #1206

ITEM NUMBER: W563583065

Description:

Aluminum Drain Bar is specifically designed to be used with Firestone Adhered and Ballasted systems for terminating the RubberGard™ membrane as required by Firestone Specifications and Details.

Method of Application:

1. Aluminum Drain Bar is to be installed as specified by Firestone Specifications and Details. Attach Drain Bar to substrate using the fasteners supplied with each carton.
2. When modifying the drain bar, all cut surfaces must be rounded and filed to remove burrs and sharp edges.
3. Keep each length of Drain Bar separated from adjoining bar by 1/4" (6.3 mm).
4. At inside and outside corners, drain bar must be cut and continued.
5. Drain bar must be fastened at maximum of 1" (25.4 mm) in from each end of all sections.

Storage:

- Store in original unopened containers protected from the weather.

Precautions:

- Do not overdrive or underdrive fastener.
- Clean up shavings, etc. that may occur from field cutting.

Compliance:

Post Consumer Recycled Content: 8%
 Pre Consumer Recycled Content: 17%
 Manufacturing Location: Cleveland, OH

Packaging:

Carton	10 – 10 ft (3.05 m) pieces per carton including 1-1/2" (38.1 mm) stainless steel hex head fasteners and rubber washers.
--------	---

Physical Properties:

Minimum Performance

Material	Extruded 6063 -T5 Aluminum
Corrosion Resistance	Meets FM No. 4470 criteria
Length	10' (3.1 m)
Height	Approximately 4" (102 mm)
Thickness	Varies 0.063" to 0.110" (1.6 mm to 2.8 mm) 0.106" (2.7 mm)
Holes	0.280" (7.11 mm) diameter, 20 at 6" (152.4 mm) o.c.
Fasteners	1-1/2" (38.1 mm) stainless steel hex head with rubber washer

Please Contact your Firestone Technical Coordinator at 1-800-428-4511 for further information.

This sheet is meant to highlight Firestone products and specifications and is subject to change without notice. Firestone takes responsibility for furnishing quality materials which meet published Firestone product specifications. Neither Firestone nor its representatives practice architecture. Firestone offers no opinion on and expressly disclaims any responsibility for the soundness of any structure. Firestone accepts no liability for structural failure or resultant damages. Consult a competent structural engineer prior to installation if the structural soundness or structural ability to properly support a planned installation is in question. No Firestone representative is authorized to vary this disclaimer.