

TECHNICAL INFORMATION SHEET

UltraPly™ TPO Large Pipe Flashing



Item Description

White
Tan
Gray

Item Number

W56TPO3013
W56TPO013
W56TPOG013

Product Information

Description:

Firestone UltraPly TPO Large Pipe Flashings are specifically designed for flashing of large round penetrations between 6" (150 mm) and 8" (200 mm) outside diameter. The pipe flashing fits various penetration sizes and can be cut as necessary to ensure a tight fit before installation.

Method of Application:

1. Penetration shall be clean of prior flashings or foreign material.
2. Cut out a circle above the level ring of the pipe flashing that is just smaller than the penetration.
3. Cut the extra material from the pipe flashing base around the indented circle.
4. Weld the flashing into place, and install the clamp and sealant per current UltraPly TPO specifications.

Storage:

Store material in its original unopened packaging away from sources of physical damage or chemical contamination.

Precautions:

- Refer to Safety Data Sheet (SDS) for TPO systems for safety information.
- Contact your Firestone Technical Services Advisor at 1-800-428-4511 for specific recommendations regarding chemical or waste product compatibility with Firestone UltraPly TPO Large Pipe Flashing.

LEED® Information:

Post Consumer Recycled Content: 0%

Pre Consumer Recycled Content: 0%

Manufacturing Location: Wellford, SC

*NOTE: LEED® is a registered trademark of the U.S. Green Building Council.

Product Packaging

Units per Carton	10 with 10 stainless steel clamps	Carton Weight	16 lb (7 kg)
------------------	-----------------------------------	---------------	--------------

Product Data

Material:	Thermoplastic Polyolefin (TPO)	Size:	Outside diameters of 6" (152 mm) to 8" (203 mm)
Colors:	White, Tan, Gray	Clamp:	All stainless steel, quick release, worm gear type

Please contact Firestone Technical Services Department at 1-800-428-4511 for further information.

This sheet is meant to highlight Firestone products and specifications and is subject to change without notice. Firestone takes responsibility for furnishing quality materials which meet published Firestone product specifications. Neither Firestone nor its representatives practice architecture. Firestone offers no opinion on and expressly disclaims any responsibility for the soundness of any structure. Firestone accepts no liability for structural failure or resultant damages. Consult a competent structural engineer prior to installation if the structural soundness or structural ability to properly support a planned installation is in question. No Firestone representative is authorized to vary this disclaimer.