

TECHNICAL INFORMATION SHEET

Replacement Series Dome

Item Description:

Replacement Lens for non-SunWave™ Skylight and Smoke Vent with “Screw On” type lens design.


Item Number:

Custom

Product Information

Description:

The SunWave™ replacement lenses are constructed using CC1 rated Polycarbonate Prismatic sheet. This lens option is intended for units using a design method that attaches the skylight lens, using pass-through holes, in the lens as an attachment point. Not intended for Framed SunWave™ products.

**Method of Application:**

1. Install in accordance with current Firestone specification, details and, workmanship requirements.

Storage:

- Store products in manufacturer's unopened packaging until ready for installation
- Store materials in a way that protects it from freezing, staining, contamination or, damage.

Clean-Up:

- Frequency of cleaning is determined by site conditions. When cleaning acrylic lenses, use only water or water with a mild soap. Use a soft rag to minimize scratching. A pressure washer is acceptable to use as well.
- Never use ammonia, aromatic or petroleum based products to clean lenses. This will cause deterioration and cracking of the lens and will void the warranty.

Precautions:

- Skylights not for use in Harsh, Corrosive, Marine and high-humidity Environmental Conditions such as Marina, Greenhouses, Petrol-Chemical facilities or other chemicals where the skylights may be exposed to such conditions.
- Certain airborne contaminants can diminish the integrity of acrylic and/or polycarbonate lenses.
- The installer shall be responsible for fall protection.
- Skylights should not be installed in locations with an operating temperature in excess of -75° F or 180°F.

LEED® Information:

Post Consumer Recycled Content: 50%

Post Industrial Recycled Content: 12.50%

Manufacturing Location: Sacramento, California

*NOTE: LEED® is a registered trademark of the U.S. Green Building Council.

Please contact Quality Building Services Technical Department at 1-800-428-4511 for further information.

This sheet is meant to highlight Firestone products and specifications and is subject to change without notice. Firestone takes responsibility for furnishing quality materials which meet published Firestone product specifications or other technical documents, subject to normal roof manufacturing tolerances. Neither Firestone nor its representatives practice architecture. Firestone offers no opinion on and expressly disclaims any responsibility for the soundness of any structure. Firestone accepts no liability for structural failure or resultant damages. Consult a competent structural engineer prior to installation if the structural soundness or structural ability to properly support a planned installation is in question. No Firestone representative is authorized to vary this disclaimer.